

<input type="checkbox"/> H <input type="checkbox"/> F <input type="checkbox"/> O <input checked="" type="checkbox"/> PE	CHEMICAL NAME CML color offset inks
	MANUFACTURER Van Son Royal dutch
	DATE 12/22/06

# 3023

Lab Safety Supply Inc.

Reorder No. 17135

## MATERIAL SAFETY DATA SHEET

### OR PRINTING INK AND RELATED MATERIALS

 INFORMATION ON THIS FORM IS PROPRIETARY INFORMATION AND FURNISHED  
 SPECIFICALLY FOR THE USE OF OUR CUSTOMERS

**HAZARD RATINGS**

 Minimal ..... 0  
 Slight ..... 1  
 Moderate ..... 2  
 Serious ..... 3  
 Severe ..... 4

HEALTH	1
FLAMMABILITY	1
REACTIVITY	0

 DATE OF PREP Aug. 1, 1987 PREPARED BY J. Haafkens

### Section I

 MANUFACTURER'S NAME: Van Son Royal Dutch Printing Ink Factories Distributor: Van Son Corp of Ameri

 STREET ADDRESS: 92 Union Street

 CITY, STATE AND ZIP CODE: Mineola, NY 11501

 EMERGENCY TELEPHONE NUMBER 516-294-8811

 PRODUCT CLASS: II A Offset Ink Oxidizing

 TRADE NAME: QM Color Offset Inks

MANUFACTURER'S CODE IDENTIFICATION:

### Section II - HAZARDOUS INGREDIENTS

**Ingredient:**

Petroleum Hydrocarbon

**Hazard Data:**

CAS 64742-46-7

 This ingredient is listed on some state  
 Right to Know lists. It is not on the  
 Federal list.

 OSHA PEL for oil mist 5mg. per cubic  
 meter.

ACGIH TLV not established.

### Section III - PHYSICAL DATA

BOILING RANGE °F 500°F - 590°F	VAPOR DENSITY: HEAVIER <input checked="" type="checkbox"/> vs. air LIGHTER <input type="checkbox"/>	LIQUID DENSITY: HEAVIER <input checked="" type="checkbox"/> vs. water LIGHTER <input type="checkbox"/>	TYPE OF ODOR Oily odor
APPEARANCE colored paste	EVAPORATION RATE FASTER <input type="checkbox"/> vs. Butyl Acetate SLOWER <input checked="" type="checkbox"/>	PERCENT VOLATILE WT. @ 72° F. NIL	

### Section IV - FIRE & EXPLOSION DATA

FLAMMABILITY CLASSIFICATION OSHA III B DOT Nbt regl.	FLASH POINT °F h. th 200°F (Method Used) open cup	LEL N.A.
--	---	-------------

EXTINGUISHING MEDIA:

 "ALCOHOL" FOAM     CO2     DRY CHEMICAL     WATER FOG     OTHER

UNUSUAL FIRE AND EXPLOSION HAZARDS

None

SPECIAL FIREFIGHTING PROCEDURES

---

---

## Section V - HEALTH HAZARD DATA

---

### EFFECTS OF OVEREXPOSURE

Prolonged skin contact may cause minor skin irritation.

### MEDICAL CONDITIONS AGGRAVATED BY OVEREXPOSURE:

Persons with Dermatitis problems should take precautions against skin contact.

---

### PRIMARY ROUTE(S) OF ENTRY:

DERMAL

INHALATION

---

### EMERGENCY AND FIRST AID PROCEDURES

In case of eye contact, flush with water. If swallowed do not induce vomiting, consult physician.

In case of skin contact, wash with water and soap

---

---

## Section VI - REACTIVITY DATA

---

### PRODUCT STABILITY

STABLE

UNSTABLE

---

CONDITIONS TO AVOID    None    Non-reactive material

---

---

## Section VII - SPILL OR LEAK PROCEDURES

---

### PROCEDURE WHEN MATERIAL SPILLED OR RELEASED

Wipe up. Dispose of wipes in approved waste containers. If, for instance white spirit is used, take care for sufficient ventilation

---

WASTE DISPOSAL METHOD    should be done in accordance with federal, State, & local regulations

---

---

## Section VIII - SPECIAL PROTECTION INFORMATION

---

VENTILATION    General ventilation is sufficient

---

PROTECTIVE GLOVES    None required unless presses are washed by using solvents

---

RESPIRATORY PROTECTION    None required                      EYE PROTECTION    None required

---

OTHER PROTECTIVE EQUIPMENT    None required

---

---

## Section IX - SPECIAL PRECAUTIONS

---

### HANDLING AND STORING

No special precautions

---

### OTHER PRECAUTIONS

None

---

---

Part Number	Description
	<b>POUNDS</b>
VS701	Pantone Yellow
VS702	Pantone Warm Red
VS703	Pantone Rubine
VS704	Pantone Rhodamine
VS705	Pantone Purple
VS706	Pantone Reflex Blue
VS707	Pantone Process Blue
VS708	Pantone Green
VS709	Pantone White
VS710	Pantone Black
VS711	Chrome Yellow
VS712	Brilliant Orange
VS713	Windmill Brown
VS714	Vandijk Brown
VS715	Dutch Fireball Red
VS716	Red Pepper
VS717	Navy Blue
VS718	Delft Blue
VS719	Liberty Blue
VS720	Brilliant Blue
VS721	Ivy Mint Green
VS722	Emerald Canary Green
VS723	Forest Green
VS726	Cocoa
VS727	Copper Gold
VS728	Metallic Silver
VS729	Opaque White 1½ Lbs.
VS731	Bordeaux Red
VS732	Brick Dust
VS733	Buffalo Brown
VS734	Chocolate Brown
VS735	Cornflower Blue
VS736	Fast Blue Lake
VS737	Fast Violet
VS738	Fast Viridine Green
VS739	Russet Brown
VS740	Scarlet Red
VS741	Tiger Lily Orange
VS742	Wedgewood Blue
VS743	Amazon Green
VS744	Rota Brown