

MATERIAL SAFETY DATA SHEET

6792

MANUFACTURER: KLEAN-STRIP, DIVISION OF  
W.M. BARR & COMPANY  
2105 CHANNEL AVENUE  
P.O. BOX 1879  
MEMPHIS, TENNESSEE

DATE PREPARED: 9/13/88

8

TELEPHONE NUMBER: (901) 775-0100

MODEROWS DECORATING  
ATTN: TED  
14 SEVENTH AVENUE SOUTH  
ST. CLOUD MN 56301-1

SECTION I - PRODUCT IDENTIFICATION

FORMULA NUMBER: 3300  
PRODUCT NUMBER: HB-2  
PRODUCT NAME : HEAVY BODIED KLEAN-STRIP 5-GAL  
PRODUCT CLASS : PAINT REMOVER

SECTION II - HAZARDOUS INGREDIENTS

INGREDIENT	CAS#	PERC WT	OCCUPATIONAL EXPOSURE LIMITS		VAPOR PRESSURE MM	@C
			TLV	PEL		
1. METHYLENE CHLORIDE	75-09-2	< 80	100 ppm	500 ppm	350	20
OTHER LIMITS: OSHA-CEILING:1000ppm, PEAK: 2000ppm; ACGIH-STEL:500ppm						
2. ISOPROPYL ALCOHOL	67-63-0	< 10	400 ppm	400 ppm	33	20
The ACGIH STEL for Isopropyl Alcohol is 500 ppm.						
3. SOLVENT BLEND *	NONE	< 05	NE	NE	40	20
* Above Ingredient Consists of:						
ETHANOL	64-17-5	< 86	1000ppm	1000ppm	NF	20
PROPRIETARY	NONE	< 10	NE	NE	NF	20
ACGIH STEL for methanol is 250 ppm. ACGIH STEL for N-Heptane is 500ppm.						
4. METHANOL	67-56-1	< 05	200 ppm SKIN	200 ppm	138	25
The ACGIH STEL for Methyl Alcohol is 250 ppm.						
This product contains less than 4% methanol.						



**HAZARDOUS DECOMPOSITION PRODUCTS:** Thermal decomposition may produce hydrogen chloride and small quantities of phosgene.

**INCOMPATIBILITY (MATERIAL TO AVOID):** Strong oxidizing agents.

---

### SECTION VII - SPILL AND LEAK PROCEDURES

---

**STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:** Avoid breathing vapors. Ventilate area. Flush large spills of material into suitable retaining area or containers with large quantities of water. Small spills can be absorbed by appropriate inert absorbent.

**WASTE DISPOSAL:** Dispose in accordance with applicable local, state and federal regulations.

---

### SECTION VIII - SPECIAL PROTECTION INFORMATION

---

**RESPIRATORY PROTECTION:** For OSHA controlled work place, use only with adequate ventilation under engineered air control systems designed to provide maximum appropriate TLV. For occasional use where engineered air control is not feasible, use NIOSH approved respirators. For occasional consumer use, use only with adequate ventilation.

**VENTILATION:** Adequate ventilation must be provided. See respiratory protection above.

**PROTECTIVE GLOVES:** Use impermeable gloves to prevent skin irritation.

**EYE PROTECTION:** Safety glasses, chemical goggles and/or face shields are recommended to safeguard against potential eye contact, irritation or injury.

**OTHER PROTECTIVE EQUIPMENT:** Varying application methods can dictate use of additional protective safety equipment, such as impermeable aprons, etc.

**HYGIENIC PRACTICES:** Wash hands thoroughly after use.

---

### SECTION IX - SPECIAL PRECAUTIONS

---

**PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:** Do not store near flames or at elevated temperatures.

**OTHER PRECAUTIONS:** Read carefully all cautions and directions on product label before use. Since empty container retains residue, follow all label warnings even after container is empty. Dispose of empty container according to local regulations.

**NOTE:** THE INFORMATION CONTAINED HEREIN IS FURNISHED WITHOUT WARRANTY OF ANY KIND. EMPLOYERS SHOULD USE THIS INFORMATION ONLY AS A SUPPLEMENT TO OTHER INFORMATION GATHERED BY THEM AND MUST MAKE INDEPENDENT DETERMINATION OF SUITABILITY AND COMPLETENESS OF INFORMATION FROM ALL SOURCES TO ASSURE PROPER USE OF THESE MATERIALS AND THE SAFETY AND HEALTH OF EMPLOYEES. ANY USE OF THIS DATA AND INFORMATION MUST BE DETERMINED BY THE USER TO BE IN ACCORDANCE WITH APPLICABLE FEDERAL, STATE AND LOCAL LAWS AND REGULATIONS.

00000000000000